



WATER TANK FLOOR BEAM





SECTION X-X

WATER TANK SIDE WALL



WATER TANK ROOF SLAB



BEAM WB1(230x300)

BEAM WB2(230x300)

NOTES:-
1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE SPECIFIED.

- GROUND LEVEL 87.00M
- GRADE OF CONCRETE IS M20
- GRADE OF STEEL IS Fe 415 HYSD BARS
- VERTICAL LAP LENGTH SHALL BE 50 ϕ .
- HORIZONTAL LAP LENGTH SHALL BE 45 ϕ .
- FOR WATER TANK - RCC M30
- FOR WALL - CM 1:5
- CLEAR COVER
FOR SLAB - 20mm
FOR BEAM - 30mm
FOR COLUMN - 40mm
FOR FOUNDATION FOOTING-50mm
OVER LAP - 50dmm
- LEGENDS
D-DOOR/TEAK WOOD
RS-ROLLING SHUTTER (FULL CLOSE)
V-VENTILATOR(NORMAL TYPE)
W-WINDOW/GRILL TYPE ALUMINIUM SLIDING

SCALE	DRAWN	CHECKED	APPROVED	REV
M.S	K.S	K.R.S	00	
DATE ISSUED	07.01.11	07.01.11	07.01.11	07.01.11

PROJECT:

DRAWING TITLE:

CONSTRUCTION DRAWING FOR
WATER TANK

DWG NO.: 3-C/100011-02-010B